

**PATENT** 

#### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant

Sean T. O'Mara

Application No.

10/086,940

Filed

March 1, 2002

For -

INTUBATION DEVICE AND METHOD

Examiner

Aaron J. Lewis

Art Unit

3743

Docket No.

920070.417

Date

April 30, 2007

Mail Stop Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

#### **DECLARATION UNDER 37 CFR 1.131**

I, Dr. Sean T. O'Mara, do hereby declare that:

- 1. I am the inventor of the invention described and claimed in U.S. Patent Application Serial Number 10/086,940.
- 2. The present application was filed on March 1, 2002, and claims priority to U.S. Provisional Application No. 60/273,795, filed March 5, 2001.
- 3. I have reviewed the Office Action mailed June 27, 2006, the Office Action mailed December 28, 2006, and the Advisory Action mailed March 5, 2007, in the subject application. The Office Action mailed December 28, 2006, rejected claims 66-71 and 73-78 based in whole or in part on the disclosure of U.S. Patent No. 6,820,614 issued to Bonutti on November 23, 2004.
- 4. In the Advisory Action the Examiner indicated insufficient detail was provided regarding the dates of due diligence in a prior declaration I submitted. In response, I reviewed my records pertaining to my invention in more detail. My more detailed review of my records refreshed my memory.

- 5. Prior to the December 2, 2000 filing date of Bonutti, and while in the United States, I reduced to practice the method of claim 66, a method comprising "inserting an intubation-tube placement device, secured to an intubation tube, into a patient's oral cavity; detecting the cartilaginous rings of the trachea via at least one tactile-accentuator device coupled to the intubation-tube placement device; forcing the intubation-tube placement device through the patient's vocal cords; and axially sliding the intubation tube along the intubation-tube placement device such that the intubation tube follows the intubation-tube placement device through the patient's vocal cords."
- 6. Prior to the December 2, 2000 filing date of Bonutti, and while in the United States, I reduced to practice the method of claim 73, a method comprising "inserting an intubation-tube placement device having an exploratory portion shaped to prevent the intubation-tube placement device from perforating an internal body structure during insertion, into a patient's oral cavity; detecting the cartilaginous rings of the trachea via at least one tactile-accentuator device coupled to the intubation-tube placement device; forcing the intubation-tube placement device through the patient's vocal cords; and axially sliding an intubation tube along the intubation-tube placement device such that the intubation tube follows the intubation-tube placement device through the patient's vocal cords."
- 7. Exhibit A attached hereto is a true and correct copy of a portion of an invention disclosure document prepared in the United States by me. Exhibit A bears a date and I have seen the date on the document. The date is prior to the December 2, 2000, filing date of Bonutti. The date and other information, as well as my signature, have been removed from the copy of the document submitted herewith, which I understand is permissible under Patent Office practice.
- 8. Exhibit A shows the reduction to practice of the method of claim 66, a method comprising "inserting an intubation-tube placement device, secured to an intubation tube, into a patient's oral cavity; detecting the cartilaginous rings of the trachea via at least one tactile-accentuator device coupled to the intubation-tube placement device; forcing the intubation-tube placement device through the patient's vocal cords; and axially sliding the intubation tube along the intubation-tube placement device such that the intubation tube follows

the intubation-tube placement device through the patient's vocal cords." See the detail in Sections 10, and 14(a) and (b) and the Figure of Section 8.

- 9. In particular, the references in Section 14 to "this device" refer to an actual working model having a tactile-accentuator, and the references in Section 10 (B), (C) and (E) to sharing this device refer to confidential demonstrations of the actual working model on an anatomically correct manikin and while in the United States. Prior to the demonstrations referred to in Sections 10 (B), (C) and (E), I tested the actual working model on patients in the United States. Thus, Exhibit A shows the reduction to practice of the limitations in claim 66 prior to the December 2, 2000, filing date of Bonutti.
- an anatomically correct manikin, the method comprising "inserting an intubation-tube placement device, secured to an intubation tube, into a patient's oral cavity; detecting the cartilaginous rings of the trachea via at least one tactile-accentuator device coupled to the intubation-tube placement device; forcing the intubation-tube placement device through the patient's vocal cords; and axially sliding the intubation tube along the intubation-tube placement device such that the intubation tube follows the intubation-tube placement device through the patient's vocal cords," was Brian O'Mara. I understand Brian O'Mara has executed a declaration which is being concurrently submitted herewith.
- method comprising "inserting an intubation-tube placement device having an exploratory portion shaped to prevent the intubation-tube placement device from perforating an internal body structure during insertion, into a patient's oral cavity; detecting the cartilaginous rings of the trachea via at least one tactile-accentuator device coupled to the intubation-tube placement device; forcing the intubation-tube placement device through the patient's vocal cords; and axially sliding an intubation tube along the intubation-tube placement device such that the intubation tube follows the intubation-tube placement device through the patient's vocal cords." See the detail in Sections 10, and 14(a) and (b) and the Figure of Section 8.
- 12. In particular, the references in Section 14 to "this device" refer to an actual working model having an exploratory portion shaped to prevent the intubation-placement device from perforating an internal body structure and a tactile-accentuator, and the references in

Section 10 (B), (C) and (E) to sharing this device refer to confidential demonstrations of the actual working model on an anatomically correct manikin and while in the United States. Prior to the demonstrations referred to in Sections 10 (B), (C) and (E), I tested the actual working model on patients in the United States. Thus, Exhibit A shows the reduction to practice of the limitations in claim 73 prior to the December 2, 2000, filing date of Bonutti.

- an anatomically correct manikin, the method comprising "inserting an intubation-tube placement device having an exploratory portion shaped to prevent the intubation-tube placement device from perforating an internal body structure during insertion, into a patient's oral cavity; detecting the cartilaginous rings of the trachea via at least one tactile-accentuator device coupled to the intubation-tube placement device; forcing the intubation-tube placement device through the patient's vocal cords; and axially sliding an intubation tube along the intubation-tube placement device such that the intubation tube follows the intubation-tube placement device through the patient's vocal cords," was Brian O'Mara. I understand Brian O'Mara has executed a declaration which is being concurrently submitted herewith.
- 14. The date on Exhibit A is within six months of the December 2, 2000, filing date of Bonutti and the March 5, 2001 filing date of the provisional application. The dates of the demonstrations referred to in Section 10 (B), (C) and (E) are prior to the December 2, 2000 filing date of Bonutti and within one year of the March 5, 2001 filing date of the provisional application.
- I further declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

DATE: And 302007

Sean T. O'Mara





# DEPARTMENT OF THE ARMY UNITED STATES OF AMERICA

#### INVENTION DISCLOSURE


(THIS FORM AND ACCOMPANYING DRAWING AND DESCRIPTION SHEETS ARE TO BE COMPLETED FOR EACH INVENTION

PATENT ACTIVITIES DOCKEYNO

ASSIGNED TO:

	PROMPTLY	FORWARDED TO THE PATENT	CHINUENTION	
SHORT TITLE OF INVENT	ION			
FULL NAME(S) OF INVEN (FIRST) (MIDDLE II (" S.C. T. T. II II.	TOR(S) WILL) (LAST) CM ara	HOME		(DUTY) TEL NO. AREA CODE
INFORMATION	ON WHAT DATE OUR YE	OU FIRST THINK OF THIS INVEI		
AND DATES CONCERNING THIS INVENTION	GIVE DATE OF AND IDE	INTIFY EARLIEST SKETCH OR	. •	CORDS 6HOW THIST) VONC
NEEDED IN THE EVENT OF A CONTEST OF PRIORITY OF IN- VENTION IN THE U.S. PATENT AND TRACEMARK OFFICE ALL RECORDS CITED SHOULD BE	WHENWHERE AND TO	WHOM UIU TOU MANG THE PH		
AND TRADEMARK OFFICE ALL RECORDS CITED SHOULD BE DATED AND SIGNED BY TWO WOOFENDENT WITHESSES WHO HAVE READ AND UNDERSTOOD THE MATERIAL	DESCRIBE DETAILS OF GIVE DATES AND WITH (7) SEE	ANY WORK OR TESTS DONE EEEES (USE OTHER PAGES IF C. HOLLED MERK. AYES OF ANY OTHER SKETCH	NECESSARY)	TE THE INVENTION  PRITE PERTINENT TO THIS INVENTION
	266	affacted mark	ed 8	
USE, SALE OR PUBLICATION REEDED TO ESTABLISH THE DATE OF ANY PRINTED PUBLI-	40 -	never nas	the state of the s	ISCLOSED OR WHEN AND HOW
CATION, PUBLIC USE OR SALE SINCE NO PATENT APPLICA. TION MAY BE FELLED AFTER	(10)	THE PART OF THE PA		S OUTSIDE THE ARMY? (WRITTEN OR
POTENTIAL	DESCRIBE ANY POTENT	Tadel Marked TO NA CONTRACT FO	R'SALE OR LICENSE OF	THIS INVENTION
NEEDED FOR POSSIBLE MARK: ESTING INVESTIGATIONS AND AS AN AID TO POTENTIAL	Hospitals, Am	n; htmp Hestwis, Clr. medil) boluncos/EMS 59,5km ovan firms or vendors van	e kindli ih	•
CONTRACT	F THIS INVENTION WAS	FIRST CONCEIVED OR CONST	RUGTED IN CONNECTIO	NWm-
INFORMATION A CETERMATION OF RIGHTS IN THIS INVENTION WILL BE NECESSARY. (SEE AN 27-80)	A MY DUTIES AS A GO	DVERNMENT EMPLOYEE TEO TO MY OUTIES AS A GOVI DVERNMENT EMPLOYEE 4 WO	PRNMFNIT ELLOI (TYEE (A)	
CONSIDERATION NEEDED TO DETERMINE THE POTENTIAL WORLDWIDE USE OR THE INVENTION.	POOR COCCELENT	L FOR USING YHIS INVENTION	·	
SECURITY CLASSIFICATION	CLASSIFIED LEVEL	EOURITY CLASSIFICATION IF H	HOWN	
N 505W == -	UNCLASSIFIED  CLASSIFICATION U	MONOWN		
DA FORM 4734-R, 1	OCT 1978			USAPAVI,00

PAGE \_\_\_\_OF .



devic

Addendum to DA form 4734-R

(7)



(10)... I have shared this product/device to the following non-Army personnel all under restricted/confidential terms. All were advised of this device's restricted disclosure and confidentiality. Each verbally consented to keep the device's design and application confidential.

E. Mr. Brian Omara

Vienna, VA 22180,

A (F1)

See attached sketch

The device functions to insert, introduce and guide an Endotracheal Tube (ETT) into a patient's trachea more easily safely and successfully than other current devices and methods presently available. This device is not only intended for and beneficial as an initial device to intubate all patients on the first attempt but also as a "rescue device" for difficult intubation patients as well.

(14) B

This device's composition of lower coefficient of friction than other devices (somewhat similar in design or intended objective) makes this device easier to use with much less resistance. Furthermore, this device incorporates on its proximal insertion end an "antiperforation device" (which is the intended subject of its own patentable application) to dramatically reduce the risk of perforation that other products/devices currently available are limited by and vulnerable to. My device incorporates existing and universal endotracheal tubes to it thereby allowing its use as a complete unit to greatly improve case of use, ability to hold, guide, manipulate and ultimately introduce the device endotracheally. Currently all other devices are designed to have the ET tube threaded over the introducer/stylett only after the device has been endotracheally placed. Currently existing devices provide the intubator with poor control. Only my device uniquely combines both the introducer/stylett/catheter with the ET tube into a single intubating unit to overcome this one major limitation common to all other existing devices. The benefit of this simplified one unit design represents a significant enhancement in ease and effectiveness of intubating. Having the intubating physician grasp the ET tube already surrounding the stylett/catheter and affixed to the same by a precisely engineered retention device uniquely provides the intubating physician unsurpassed control and purchase of the stylett/catheter they are attempting to advance toward the objective anatomy. My device is also unique from presently existing devices in its primary use as an initial intubation product for all initial intubations where oral intubations are not otherwise contraindicated. In so doing my device boldly departs from the standard conventional but inferior approach of initially attempting

TOTAL SERVICE

to inset the larger, more cumbersome and view obscuring ET tube, through the cords initially without first passing a stylett/catheter or introducer.

The antiperforation device on my product further incorporates, at least in this application, a tracheal ring accentuator device (also the intended subject of a future patentiable device) to amplify the tactile perception of tracheal cardiage rings lining the patient's trachea as an aid in confirming correct placement so critical in intubation

The product's thinner diameter (body 1/8" and proximal head 3/16") allows for less resistance and easier introduction with less obscuring of the intubator's field of vision. It also reduces the risk of perforation (to either normally present tissue structures or abnormal tissue from tumor, inflammation, hematoma or other pathology) with superior insortion properties. The thinner design also provides the ability to intubate with small pediatric endotracheal tubes (currently no device exists to introduce ET (endotracheal) tubes of 6.0 mm and below or for children age eight and younger) and does so with less costs. Additionally my device is dramatically more affordable with an estimated production expense of less than one dollar for both product supply and assembly. It is disposable where most others are not thereby obviating the need for costly decontamination. This device is intended for use as an initial and primary intubating device for all attempted intubations and will greatly improve the success rate of initial attempts at intubation. Its unique design incorporating an endotracheal tube as a complete unit allows for faster introduction of the ET tube within the trachea and permits instantaneous (celurique conversion to "rescue intubation" when the patient's vocal cords can not be visualized. This convenient ability to convent techniques allows for more rapid and successful intubation by eliminating the need for having to withdraw the laryngoscope, ventilating the patient back up, re-executing laryngoscopy and then introducing another rescue device toward the objective unatomy.

Another version of my device may be used as part of an intubation system which is completely free of the need for decontamination and completely disposable. This version of my device achieves this by oliminating the current reliance on illumination from costly and problematic conventional laryngoscopes required by all other presently existing devices. This version of my device with only modest added expense incorporates on its most proximal end (the end inserted through the cords) an illuminating light source/lightbulb. This will not only provide the added anti perforation characteristics of the non illuminating version but will obviate the need for reliance upon lighted laryngoscope blades which are expensive and costly to maintain as well as potential sources of contagion. The light source on this version of the product is connected distally to a battery source and may be reused as a cost saving feature to the system while the rest of the device and plastic non illuminating laryngoscope blade are fully disposable. This second version permits rapid and numerous intubations of different patients limited only by the number of disposable devices and ET tubes available without any reliance on need for decontamination/sterilization processes currently now required. While compared to the non-illuminating version the illuminating feature of this version will add modest costs with a estimated manufacturing costs of still only approximately five dollars. It will still be disposable and ultimately considerably cheaper than presently existing intubation methods especially when the cost saved from avoiding sterilizing processes

In short, my device is simple to use, more effective in actieving first attempt intubations than other presently existing devices, completely disposable, with less risk for latrogenic insult or injury and furthermore secures intubations with these added benefits more affordably than present devices. It has the potential, with time, for completely supplanting how all intubations are presently done with the widest of possible applications from the setting of controlled intubations in the OR, to the emergent intubation of an Emergency Room or field EMS setting. Its ease of use, and capacity for non-reliance on conventional laryngoscope blades which require sterilization, makes it ideally suited for the military combat medic. Safe intubations can now be quickly, easily and affordably obtained by medical personnel with even limited training through this device. It is likely with time that a method for safely and effectively achieving endotracheal intubations could be developed with this device alone through its blind but careful insertion experienced physicians supports its predicted contributions in improving the paramountly important procedure of endotracheal intubation.



#### DEPARTMENT OF THE ARMY UNITED STATES OF AMERICA INVENTION DISCLOSURE

PATENT ACTIVITIES DOCKET NO

(DRAWING AND DESCRIPTION SHEET)

(14) PROVIDE THE FOLLOWING INFORMATION CONCERNING THE DISCLOSED INVENTION AND IN THE INDICATED SEQUENCE:

A SPECIFICALLY DESCRIBE THE INVENTION AND ITS OPERATION. YOU MAY USE AND ATTACH COPIES OF EXETCHES, PRINTS, PHOTOGRAPHS, PAPERS
AND ILLUSTRATIONS, WHICH SHOULD SE SIGNED, WITNESSED, AND DATED, USE NUMBERS AND DESCRIPTIVE NAMES IN DESCRIPTIONS AND DRAWINGS.

e. State the advantages of the invention over presently known devices, systems, or processes.

C. Discuss the problems which the invention is designed to solve, referring to any prior invention of a similar mature with which of later charles of the prosibile uses for the invention.

C. List all known and other possible uses for the invention.

C. List the features of the invention that are believed to be movel.

Use as many of these, sheets as necessary and attach to completed invention disclosure.

See	attacked	marked	14 (A)	(8) (6	triorporely
	ċ-€	م سدار.			
	Ċ-E	م سدار.			

:	X	ATION OF INVENTOR(S) (USE W	WC DAT	E: WITNESSED READ AND UNDERSTOOD BY:	QATE;
	MEATION			(10)	
(16) ORG/	MUZATION			[19]	
(17)ORGA	MIZATION			(70)	
WOTE: 1	THIS FORM AND A	NY OMITTED INFORMATION BE	COMING A	VAN ASI S AT A LARGE COMMISSION OF THE STATE	
	DEPT. OF THE AR WASHINGTON, D.	ADVOCATE GENERAL '	KOOMING A	valable at a later thae should be forwar attn: patent counsel; or <u>calef of engine</u> e	io to: ERS attre patent counsel



## INVENTION RIGHTS QUESTIONNAIRE

For use of this form, see AR 27-60; the propoent agency is OYJAG

# READ THE INSTRUCTIONS BELOW BEFORE COMPLETING THIS FORM

- o Under Executive Order 10096, 23 January 1950, and AR 27-60, whenever an invention is made by a military or civilian employee of the Department of the Army, it is nocessary to determine the rights in the invention as between the Government and the Inventor. There are three ways in which rights may be determined:
- The inventor may be entitled to all rights and the Government to none (and hence the inventor need sign no document giving any rights to the Government):
- The Government may be entitled to a license permining it to use or procise the invention and the inventor entitled to all other rights (and hence the inventor signs a license to the Government);
- The Government may be entitled to all rights and the inventor to none (and hence the inventor signs an assignment to the Government).
- o Separate and distinct from the determination of rights, and even though it may appear that the inventor is entitled to all o separate and distinct from the determination of rights, and even allowing the present of the inventor is enuited to an rights in the invention, the inventor may sign a license permitting the Government to use and practice (he invention in return for which the Government will prosocute an application for a patent withe invention of no expense to the invention, provided
- o If the inventor desires voluntarily to assign all rights in the invention to the Government, he may complete PART A below. The remaining questions need out be enswered.
- o II the Inventor does not desire to voluntarily assign all rights in the invention to the Government, it is necessary that all questions be enswered completely. The determination of the rights in the invention depends upon the facts and circumetaneas under which the invention was made. In Almost every case a failure to provide sufficient information works to the disadvantage of the inventor. If additional space is needed to fully answer any question, an attached sheet will be used. Many questions may be answered by a check mark; however, every question must be answered even if the appropriate answer

	SECTION	- TO BE COMPLETE	D BY THE ING STATE		
BRIEF TITLE OF INVENT		PART A - BASIC	DATA	DR	
A MAENT	TION		V-11		
•	• • •				
. NAME OF INVENTOR		<del></del>			
- INVENTOR			12.0040		
<u> </u>	_		1 CHADEN	AT TIME INVENTION	WAS MADE
JOB TITLE AT TIME INVE					
	en ion was made				<b></b>
COMPLETE MALE		•		·	
AMILTE IS WAVE OF OF	RGANIZATION				
QUORUMON INTO A	THE NOTION AT TIME	INVENTION WAS THE			
department, leboratory, po:	St. Camp, stalien, branch	INVENTION WAS MAI	DE (Includo, az aco	licable, unit, section	Acres and a
department, leboratory, po:	St. camp, station, branch	INVENTION WAS MAI	DE (Include, as acci	licable. whil. segion, (	brench, divisiar
department, leboratory, po	St. camp, station, branch	INVENTION WAS MAI of Anny)	DE (Includo, az ago	licable. unu. segnon. (	
department, leboratory, po	SEL CAMP, Station, branch	INVENTION WAS MAI	DE lincludo. as acci	licable. unu. segnon. (	
department, leboratory, po	NSI. CAMP, Station, branch	INVENTION WAS MAI of Army)	DE lincludo. az anni	ficable. und. segnon. (	
department, leboratory, po	sst. camp, stalien, branch	INVENTION WAS MAI of Army)	DE lincludo, as acci	licable. unu. zegaon. (	
gepanmant, leboratory, po	sst. camp, stalien, branch	INVENTION WAS MAI of Army)	DE lincludo, as acci	licable. unu. zegaon. (	
		Erm e-	, ,		مدم
DESIRE TO ASSIGN TO		e.			****
OESIRE TO ASSIGN TO T	THE UNITED STATES G	OVERNMENT THE FA	Yise pictor		****
Desire to assign to t	THE UNITED STATES G	OVERNMENT THE FA	Yise pictor		****
OESIRE TO ASSIGN TO TO THE PROPERTY OF THE PRO	TME UNITED STATES G NTION. (Signature below Inder of this form is not	OVERNMENT THE FA	Yise pictor		****
Desire to assign to t	TME UNITED STATES G NTION. (Signature below Inder of this form is not	OVERNMENT THE FA	Yise pictor		****
OESIRE TO ASSIGN TO TO THE PROPERTY OF THE PRO	TME UNITED STATES G NTION. (Signature below Inder of this form is not	OVERNMENT THE FA	Yise pictor	AND INTEREST IN A laventian to the Go	****
OESIRE TO ASSIGN TO TO THE PROPERTY OF THE PRO	TME UNITED STATES G NTION. (Signature below Inder of this form is not	OVERNMENT THE FA	Yise pictor		****
COMPLETE NAME OF OR department, laboratory, position of the remains of the remain	TME UNITED STATES GI NTION. (Signature below Inder of this form is not	OVERNMENT THE FA	Yise pictor	AND INTEREST IN A laventian to the Go	****



**PATENT** 

### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant

Sean T. O'Mara

Application No.

10/086,940

Filed

March 1, 2002

For

INTUBATION DEVICE AND METHOD

Examiner

Aaron J. Lewis

Art Unit

3743

Docket No.

920070.417

Date

April 23, 2007

Mail Stop Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

### WITNESS DECLARATION OF BRIAN O'MARA UNDER 37 CFR 1.131

- I, Brian O'Mara, do hereby declare that:
- 1. I am the brother of Sean T. O'Mara, the inventor of the invention described and claimed in U.S. Patent Application Serial Number 10/086,940.
- 2. I understand that Exhibit A attached hereto is a true and correct copy of a portion of an invention disclosure document prepared in the United States by Sean T. O'Mara. I have reviewed Section 10 (E) of Exhibit A. Section 10 (E) of Exhibit A bears a date and I have seen the date on the document. The date is prior to December 2, 2000. The date and other information have been removed from the copy of the document submitted herewith, which I understand is permissible under Patent Office practice.
- 3. Sean T. O'Mara demonstrated to me, using a working model of an intubation-tube placement device and an anatomically correct manikin, the method comprising "inserting an intubation-tube placement device, secured to an intubation tube, into a patient's oral cavity; detecting the cartilaginous rings of the trachea via at least one tactile-accentuator device coupled to the intubation-tube placement device; forcing the intubation-tube placement device

through the patient's vocal cords; and axially sliding the intubation tube along the intubation-tube placement device such that the intubation tube follows the intubation-tube placement device through the patient's vocal cords." My recollection of the date of the demonstration is consistent with the date in Section 10 (E) of Exhibit A, which is prior to December 2, 2000.

- 4. Sean T. O'Mara demonstrated to me, using the working model of an intubation-tube placement device and the anatomically correct manikin referred to above in paragraph 3, the method comprising "inserting an intubation-tube placement device having an exploratory portion shaped to prevent the intubation-tube placement device from perforating an internal body structure during insertion, into a patient's oral cavity; detecting the cartilaginous rings of the trachea via at least one tactile-accentuator device coupled to the intubation-tube placement device; forcing the intubation-tube placement device through the patient's vocal cords; and axially sliding an intubation tube along the intubation-tube placement device such that the intubation tube follows the intubation-tube placement device through the patient's vocal cords." My recollection of the date of the demonstration is consistent with the date in Section 10 (E) of Exhibit A, which is prior to December 2, 2000.
- 5. I have reviewed the sketch in Section 8 of Exhibit A. This sketch is consistent with my memory of the working model of an intubation-tube placement device referred to in paragraphs 3 and 4 above.
- 6. I further declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

DATE: 4/23/07

Brian () Mara

941502\_1.DOC





# DEPARTMENT OF THE ARMY UNITED STATES OF AMERICA

#### INVENTION DISCLOSURE

PATENT ACTIVITIES DOCKET NO

(THIS FORM AND ACCOMPANYING DRAWING AND DESCRIPTION SHEETS ARE TO BE COMPLETED FOR EACH INVENTION PROMPTLY FORWARDED TO THE PATPAY ACTIVITY

ASSIGNED TO:

	PROMPTLY	FORWARDED TO THE PATENT A	CTIVITY	· ·
SHORT TITLE OF INVENT	TON			
FULL NAME(S) OF INVEN (FIRST) (MIDDLE II (*** Sear T	NOTAL) (LAST	HOME ANDEREGE	(00	TY) TEL NO. AREA CODE
INFORMATION AND DATES CONCERNING THIS INVENTION	k	OU FIRST THINK OF THIS INVENTI ENTIFY EARLIEST SKETCH OR DR	. Non	DE EHOWTHIST)
NÉGDEO IN THE EVENT OF A CONTEST OF PRIORITY OF IN VENTION IN THE U.S. PATENT AND TRADEMARK OFFICE, ALL RECORDS CITED SHOULD BE DATED AND SIGNED BY TWO INDEPENDENT WITHESSES WHO HAVE READ AND LANDERSTOOD THE MATERIAL UNDERSTOOD THE MATERIAL	WHENWHERE AND TO	WHOM UILL TOU WANG THE PING		•
DATED AND SIGNED BY TWO INDEPENDENT WITHESSES WHO HAVE READ AND UNDERSTOOD THE MATERIAL	OCSCURE WID GIVE D	ANY WORK OR TESTS DONE TO ESSES (USE OTHER PAGES IF ME C. HOLKED ME KATCHES ATES OF ANY OTHER SKETCHES	CESSARY)	PERTINENT TO THIS INVENTION
	266	affacted market	4 8	
USE, SALE OR PUBLICATION NEEDED TO ESTABLISH THE OF ANY PRINTED PUBLICATION, PUBLIC USE OR	100 -	N SOLD OR USED FOR PROFIT-W		
CATION, PUBLIC USE OR SALE SINCE NO PATENT APPLICA- TION MAY BE FILLED AFTER	(10)	I to a		ISIDE THE ARMY? (WRITTEN OR
POTENTIAL MARKET		TALL OR EXISTING MARKET FOR:	SALE OF UCENSE OF THIS	IMENTION
MEDED FOR POSSIBLE MARK. STING INVESTIGATIONS AND AS AN AID TO POTENTIAL	A GOVERNMENT I COMBAT B. COMMERCIAL HOSANDS, AM	who liences /EMS Forthers who liences /EMS Forthers own firms or venoors who	is, And Stations,	Anbuknies,
CONTRACT	IF THIS INVENTION WAS	FIRST CONCEIVED OR CONSTRU	JCTED IN CONNECTION WIT	N:
INFORMATION A DETERMINATION OF RIGHTS IN THIS INVENTION WILL BE NECESSARY, (SEE AR 27-80)	MY DUTIES AS A G	OVERNMENT EMPLOYEE TED TO MY DUTIES AS A GOVER OVERNMENT EMPLOYEE & WORI	NMENT FMPI (TYEE /ORA/A)	TE OUT BUTTLE CONT.
FOREIGN FILING CONSIDERATION NEEDED TO DETERMINE THE POTENTIAL WORLDWIDE USE FOR THE INVENTION.	MORCATE THE POTENTU (13) POOR GOOD EXCELLENT	L FOR USING THIS INVENTION W	FOREIGH COUNTRIES	
SECURITY CLASSIFICATION	PLEASE INDICATE THE S (13A) CLASSIFIED LEVEL	ECURITY GLASSIFICATION IF IQU	NWC	
N 505M (50 )	UNCLASSIFIED  CLASSIFICATION C	MICHOWN		
DA FORM 4734-R, 1	OCT 1978			USAPA V1,00

PAGE \_\_\_\_OF \_\_PAGES




:- Ilberating onliperstation device - anti perforation device

.... tracked ring bothle accentuator

endotradeal tube (universal application)

endotroched tube retention etc

devic



(10)... I have shared this product/device to the following non-Army personnel all under restricted/confidential terms. All were advised of this device's restricted disclosure and confidentiality. Fach verbally consented to keep the device's design and application confidential.

E. Mr. Brian Omara

Vienna, VA 22180,

A (FI)

See attached sketch

The device functions to insert, introduce and guide an Endotracheal Tube (ETT) into a patient's tracked more easily safely and successfully than other current devices and methods presently available. This device is not only intended for and beneficial as an initial device to intubate all patients on the first attempt but also as a "rescue device" for difficult intubation patients as well.

(14) B

This device's composition of lower coefficient of friction than other devices (somewhat similar in design or intended objective) makes this device easier to use with much less resistance. Furthermore, this device incorporates on its proximal insertion end an "antiperforation device" (which is the intended subject of its own patentable application) to dramatically reduce the risk of perforation that other products/devices currently available are limited by and vulnerable to. My device incorporates existing and universal endotracheal tubes to it thereby allowing its use as a complete unit to greatly improve case of use, ability to hold, guide, manipulate and ultimately introduce the device endotracheally. Currently all other devices are designed to have the ET tube threaded over the introducer/stylett only after the device has been endotracheally placed. Currently existing devices provide the intubator with poor control. Only my device uniquely combines both the introducer/stylett/catheter with the ET tube into a single intubating unit to overcome this one major limitation common to all other existing devices. The benefit of this simplified one unit design represents a significant enhancement in ease and effectiveness of intubating. Having the intubating physician grasp the ET tube already surrounding the stylett/catheter and affixed to the same by a precisely engineered retention device uniquely provides the intubating physician unsurpassed control and purchase of the stylett/catheter they are attempting to advance toward the objective anatomy. My device is also unique from presently existing devices in its primary use as an initial intubation product for all initial intubations where oral intubations are not otherwise contraindicated. In so doing my device boldly departs from the standard conventional but inferior approach of initially attempting

1 10m2 0400 110

to inset the larger, more cumbersome and view obscuring ET tube, through the cords initially without first passing a stylett/catheter or introducer.

The antiperforation device on my product further incorporates, at least in this application, a tracheal ring accentuator device (also the intended subject of a future patentable device) to amplify the tactile perception of tracheal cardiage rings lining the patient's trachea as an aid in confirming correct placement so critical in

The product's thinner diameter (body 1/8" and proximal head 3/16") allows for less resistance and easier introduction with less obscuring of the intubator's field of vision. It also reduces the risk of perforation (to either normally present tissue structures or abnormal tissue from tumor, inflammation, hematoma or other pathology) with superior insertion properties. The thinner design also provides the ability to intubate with small pediatric endotracheal tubes (currently no device exists to introduce ET (endotracheal) tubes of 6.0 mm and below or for children age eight and younger) and does so with less costs. Additionally my device is dramatically more affordable with an estimated production expense of less than one dollar for both product supply and assembly. It is disposable where most others are not thereby obvioting the need for costly decontamination. This device is intended for use as an initial and primary intubating device for all attempted intubations and will greatly improve the success rate of initial attempts at intubation. Its unique design incorporating an endotracheal tube as a complete unit allows for faster introduction of the ET tube within the trachea and permits instantaneous technique conversion to "rescue intubation" when the patient's vocal cords can not be visualized. This convenient ability to convert techniques allows for more rapid and successful intubation by climinating the need for having to withdraw the laryngoscope, ventilating the putient back up. re-executing laryngoscopy and then introducing another rescue device toward the objective

Another version of my device may be used as part of an intubation system which is completely free of the need for decontamination and completely disposable. This version of my device achieves this by eliminating the current reliance on illumination from costly and problematic conventional laryngoscopes required by all other presently existing devices. This version of my device with only modest added expense incorporates on its most proximal end (the end inserted through the cords) an illuminating light source/lightbulb. This will not only provide the added anti perforation characteristics of the non illuminating version but will obviate the need for reliance upon lighted laryngoscope blades which are expensive and costly to maintain us well as potential sources of contagion. The light source on this version of the product is connected distally to a battery source and may be reused as a cost saving feature to the system while the rest of the device and plastic non illuminating laryngoscope blade are fully disposable. This second version permits rapid and numerous intubations of different patients limited only by the number of disposable devices and ET tubes available without any reliance on need for decontamination/sterilization processes currently now required. While compared to the non-illuminating version the illuminating feature of this version will add modest costs with a estimated manufacturing costs of still only approximately five dollars. It will still be disposable and ultimately considerably cheaper than presently existing intubation methods especially when the cost saved from avoiding sterilizing processes

In short, my device is simple to use, more effective in actieving first attempt intubations than other presently existing devices, completely disposable, with less risk for latrogenic insult or injury and furthermore secures intubations with these added benefits more affordably than present devices. It has the potential, with time, for completely supplanting how all intubations are presently done with the widest of possible applications from the setting of controlled intubations in the OR, to the emergent intubation of an Emergency Room or field EMS senting. Its ease of use, and capacity for non-reliance on conventional laryngoscope blades which require sterilization, makes it ideally suited for the military combat medic, Safe intubations can now be quickly, easily and affordably obtained by medical personnel with even limited training through this device. It is likely with time that a method for safely and effectively achieving endotracheal intubations could be developed with this device alone through its blind but careful insention into the patients oral pharanx. It is clear this device has great potential and its warm reception from experienced physicians supports its predicted contributions in improving the paramountly important procedure of endotracheal intubation.



## DEPARTMENT OF THE ARMY UNITED STATES OF AMERICA

INVENTION DISCLOSURE

PATENT	
ACTIVITIES	DOCKET M

(DRAWING AND DESCRIPTION SHEET)

(14) PROVIDE THE FOLLOWING INFORMATION CONCERNING THE DISCLOSED INVENTION AND IN THE INDICATED SEQUENCE:

A. SPECIFICALLY DESCRIBE THE INVENTION AND ITS OPERATION. YOU MAY USE AND ATTACH COPIES OF SKETCHES, PRINTS, PHOTOGRAPHS, PAPERS AND ILLUSTRATIONS, WHICH SHOULD BE SIGNED, WITNESSED, AND DATED. USE NUMBERS AND DESCRIPTIVE NAMES IN DESCRIPTIONS AND DRAWINGS.

e. State the advantages of the invention over presently known devices, systems, or processes,

C. DISCUSS THE PROBLEMS WHICH THE INVENTION IS DESIGNED TO SOLVE, REFERRING TO ANY PRIOR INVENTION OF A SIMILAR NATURE WITH WHICH YOU MAY BE FAMILIAR.

O. LIST ALL KNOWN AND OTHER POSSIBLE USES FOR THE INVENTION.

E. LIST THE FEATURES OF THE INVENTION THAT ARE SELIEVED TO BE MOVEL.

USE AS MANY OF THESE SHEETS AS RECESSARY AND ATTACH TO COMPLETED INVENTION DISCLOSURE

See	attacked	marked	14 (A)	(B) ·	(B) thiorporch,
	C-E	مد سدار.			

SIGNATURI	HO CRGANIZATIO	N OF INVENTOR(S) (USE	INK) DATE:	THE DESC	CONA QABR CE	on has been Noerstood by:	QATE;
1111	ANIZATION			10)			
ORG	BANIZATION	· · · · · · · · · · · · · · · · · · ·		19 <u>L</u>			
<u>ORG</u>	ANIZATION			au			
	OFFICE OF THE ARMY WASHINGTON, D.C., 3	e advocate general ©10	ecoming av Modradi A	ulable at / Tin: Paten	LATER TULE S T COUNSEL; OR	HOULD BE FORWARE CHIEF OF ENGINEE	) TO: BS ATTIC PATENT COUNSEL
RÉVERSE O	F DA FORM 4734.	R, 1 OCT 1978	PAGE _	OF	PAG	ES	CO.IV APARU



#### INVENTION RIGHTS QUESTIONNAIRE

For use of this form, see AR 27-60; the proposit agency is OTJAG

## READ THE INSTRUCTIONS BELOW BEFORE COMPLETING THIS FORM

- o Under Executive Order 10096, 23 January 1950, and AR 27-60, whenever an invention is made by a military or civilian employee of the Department of the Army, it is necessary to determine the rights in the invention as between the Government and the Inventor. There are three ways in which rights may be determined:
- The inventor may be entitled to all rights and the Government to none (and hence the inventor need sign no document giving any rights to the Government);
- The Government may be entitled to a license permitting it to use or procede the invention and the hiventor entitled to all other rights (and hence the inventor signs a license to the Government);
- The Government may be entitled to all rights and the inventor to none (and hence the inventor signs an assignment to the Government).
- o Separate and distinct from the determination of rights, and even though it may appear that the inventor is entitled to all rights in the invention, the inventor may sign a license permitting the Government to use and practice the invention in return the Government will presocute an application for a patent on the invention at no expense to the inventor, provided the Government is sufficiently interested in the invention.
- o If the inventor degines voluntarily to assign all rights in the invention to the Government, he may complete PART A below. The remaining quaditions need but the unswered.
- o if the inventor does not desire to voluntarily assign all rights in the invention to the Government, it is necessary that all questions be answered completely. The determination of the rights in the invention depends upon the facts and circumstances under which the invention was made. In almost every case a failure to provide sufficient information works to the disadvantage of the inventor. If additional space is needed to fully answer any question, an attached sheet will be used. Many questions may be answered by a check mark; however, every question must be answered even if the appropriate answer is "No", "None", or "NA" (not applicable). Print or type all answers.

	SECT	ION I - TO BE COMPLET	ED BY THE INVENTOR	<del></del>
BRIEF TOT E OF US		PART A - BASIC	DATA	
BRIEF TITLE OF INVE	NOTION			
•	•	•		
				•
NAME OF INVENTOR				
~			3 GRADE AT TIME IN	WENTON INC.
<u> ,                                   </u>	· •			ACUTION MAS WADE
JOB TITLE AT TIME IN	VENTION WAS ***	_		
_		•		
COMPLETE NAME OF	0000444			
- The County OF	'UKGANIZATION AY T			
department laboratory	COM ARMS SALE	TIME INVENTION WAS MA	ADE (locludo as positionale	
department, laboratory,	post, camp, stalien, br	TIME INVENTION WAS MI TINCT OF ARTHY	ADE (Include, as adolicable, uni	l. segaon, brench, divisial
department, laboratory,	post. camp, station, br	TIME INVENTION WAS MA TENCH OF ARMY	ADE (Include, as applicable, uni	l. searan, branch, divisial
department, leboratory,	post. camp, station, br	TIME INVENTION WAS MA TIMEN OF ARMY)	ADE (includo, as applicable, uni	l. section, branch, division
department, laboratory,	post, camp, stalien, br	TIME INVENTION WAS MA TANCH Of Army)	ADE (includo, as acclicable, uni	i. season, branch, divicial *e.n.
deparlment, leboratory,	post. camp, station, br	TIME INVENTION WAS MA TINCH Of Army)	ADE (includo, as acclicable, uni	i. season. bronon, division *e.n.
deparlment, laboratory,	post. camp, station, en	TIME INVENTION WAS MA TINCH Of Army)	ADE (includo, as acclicable, uni	i. seasan. branch, dwicial **A
deparlment, laboratory,	post. camp, station, en	TIME INVENTION WAS MA TINCH Of Army)	ADE (includo, as acclicable, uni	i. seasan. branch, dwicial **A
		ern e	a C	*44.
OESIRE TO ASSIGN T	O THE UNITED STATI	ES GOVERNMENT THE E	ENTIRE RIGHT. TITLE AND JAM	****
OESIRE TO ASSIGN T	O THE UNITED STATI VENTION. (Signature mainder of this form is	En.	ENTIRE RIGHT. TITLE AND JAM	****
OESIRE TO ASSIGN T	O THE UNITED STATI VENTION. (Signature mainder of this form is	ES GOVERNMENT THE E	ENTIRE RIGHT, TITLE AND INT H assigning rights of invention gn below.)	EREST IN AND TO THE
OESIRE TO ASSIGN T	O THE UNITED STATI VENTION. (Signature mainder of this form is	ES GOVERNMENT THE E	ENTIRE RIGHT. TITLE AND JAM	EREST IN AND TO THE
OESIRE TO ASSIGN T	TO THE UNITED STATI VENTION. (Signature mainder of this form is	ES GOVERNMENT THE E	ENTIRE RIGHT, TITLE AND INT H assigning rights of invention gn below.)	EREST IN AND TO THE